

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	273	(synchroniz\$3 same (structure\$1 or schema \$1) same xml)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/04 10:42
L2	22	1 same (prior or before)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/04 10:42
L3	0	1 and (extension near2 table)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/04 10:42
L4	1	1 and (migration near2 status)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/04 10:43
L5	3	1 and (order\$3 with migrat\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/04 10:43
L6	1	1 and (intermediate near2 database)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/04 10:44
L7	0	1 and (intermediate near2 structure)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/04 10:44

L8	285	(convert\$3 same (relational near2 database) same xml)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/04 10:44
L9	40	(convert\$3 same (relational near2 database) same xml).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/04 10:45
L10	20	(translat\$3 same (relational near2 database) same xml).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/04 10:45
L11	0	(translat\$3 same (relational near2 database) same xml).ab. and (intermediate near2 database)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/04 10:45
L12	0	1 and (migration with (user near2 configurable))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/04 10:45
L13	3	(migration with (user near2 configurable))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/04 10:45
S1	1	10/888146	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/22 17:15
S2	1	10/853375 and (memory or medium)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/22 17:36

S3	1	10/853375 and computer	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/22 17:38
S4	1	10/690344	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/22 18:06
S5	31151	707/3 or 707/6 or 707/5 or 707/10	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/22 18:13
S6	2155	S5 and ((extract\$3 or retriev\$3) same rules)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/22 18:13
S7	322	S5 and ((extract\$3 or retriev\$3) same rules) and (user near2 preferences)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/22 18:14
S8	103	S5 and ((extract\$3 or retriev\$3) same rules) and (user near2 preferences) and (user near2 actions)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/22 18:14
S9	1	S5 and ((extract\$3 or retriev\$3) same rules) and (user near2 preferences) and (user near2 actions) and (user near2 preferences near2 models)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/22 18:14
S10	8	((extract\$3 or retriev\$3) same rules) and (user near2 preferences) and (user near2 actions) and (user near2 preferences near2 models)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/22 18:14

S11	0	((extract\$3 or retriev\$3) same rules) and (user near2 preferences) and (user near2 actions) and (user near2 preferences near2 models).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/22 18:15
S12	0	((extract\$3 or retriev\$3) same rules) and (user near2 preferences) and (user near2 actions) and (user near2 preferences near2 models) and (threshold near6 distance)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/22 18:15
S13	0	((extract\$3 or retriev\$3) same rules) and (user near2 preferences) and (user near2 actions) and (user near2 preferences near2 models) and (threshold with distance)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/22 18:15
S14	0	((extract\$3 or retriev\$3) same rules) and (user near2 preferences) and (user near2 actions) and (user near2 preferences near2 models) and (threshold with score)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/22 18:16
S15	0	10/853375 and (distance)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/22 18:16
S16	1	10/853375 and (threshold)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/22 18:16
S17	13	S8 and (index\$3 same features same database)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/22 18:18
S18	2	"7283992".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/22 18:18

S19	0	10/910055 and (preceive \$3 near2 relevance)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/26 23:35
S20	0	10/910055 and (preceive \$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/26 23:35
S21	1	10/910055	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/26 23:36
S22	1	10/910055 and perceiv\$	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/26 23:36
S23	50	707/5 and (rank\$3 same (results with categories))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/26 23:42
S24	25	707/5 and (rank\$3 same (results with categories)) and (previous)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/26 23:42
S25	2	707/5 and (rank\$3 same (results with categories)) and (previous) and (similarity same scores)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/26 23:42
S26	4	(rank\$3 same (results with categories)) and (previous) and (similarity same scores)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/26 23:50

S27	0	(re-rank\$3 same (results with categories)) and (previous) and (similarity same scores)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/26 23:51
S28	0	(re-rank\$3 same (results with categories)) and (previous) and (score)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/26 23:52
S29	2	"5717914".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/28 16:55
S30	5	"5717914".pn. or "20050050024"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/28 16:55
S31	3	S30 and previous	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/28 16:57
S32	14	"5717914".pn. or "20050050024" or "7185501".pn. or "20070242626" or "7395259".pn. or "7043483".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/28 16:59
S33	6	S32 and previous	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/28 17:00
S34	2	S32 and "5717914".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/28 17:04

S35	1	S32 and "5717914".pn. and rank\$	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/28 17:04
S36	1	S32 and "7043483".pn. and rank\$	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/28 17:04
S37	0	S32 and "6785671".pn. and rank\$	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/28 17:05
S38	4	S32 and rank\$	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/28 17:06
S39	1	S32 and rank\$ and "7395259".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/28 17:07
S40	1	10/910005	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/28 17:23
S41	1	10/910005 and (interface or window)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/28 17:23
S42	1	10/910055 and (interface or window)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/28 17:24

S43	0	10/910055 and (interface or window) and hardware	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/28 17:26
S44	0	10/910055 and (interface or window) and computer	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/28 17:27
S45	1	10/910055 and (interface or window) and (windows)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/28 17:57
S46	0	S32 and rank\$ and "7395259".pn. and windows	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/28 17:57
S47	1	S32 and rank\$ and "7395259".pn. and (displays)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/28 17:57
S48	1	S32 and windows	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/28 18:04
S49	0	"20050050024" and rank \$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/28 18:47
S50	0	"20050050024" and sort \$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/28 18:47

S51	0	"20050050024" and windows	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/28 18:47
S52	1	S32 and rank\$ and "7395259".pn. and (displays) and pages	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/28 18:48
S53	171	"amazon.com" and "yahoo.com"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/28 18:55
S54	65	S53 and rank\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/28 18:55
S55	38	S54 and scores	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/28 18:55
S56	0	S54 and scores and (display\$3 same results same categories same windows)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/28 18:55
S57	15	scores and (display\$3 same results same categories same windows)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/28 18:55
S58	4	scores and (display\$3 same results same categories same windows) and rank\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/28 18:56

S59	30	scores and (results same categories same windows)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/28 18:57
S60	0	707/5 and (rank\$3 with (display near2 windows))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/28 19:17
S61	24	(rank\$3 with (display near2 windows))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/28 19:17
S62	8	707/5 and (rank\$3 with windows)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/28 21:18
S63	2	"7395259".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/28 21:21
S64	0	2005/0050024	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/28 21:24
S65	3	"20050050024"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/28 21:24
S66	0	"20050050024" and rank \$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/28 21:24

S67	0	"20050050024" and sort \$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/28 21:24
S68	3	"20050050024"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/28 21:24
S69	12	(classification near2 tabs)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/28 21:51
S70	1	(classification near2 tabs) same categories	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/28 21:51
S71	1	(classification near2 tab) same category	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/28 21:52
S72	0	(classification near2 tabs) and categories and rank \$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/28 21:52
S73	1	(classif\$ near2 tabs) and categories and rank\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/28 21:52
S74	151	707/5 and (rank\$3 with categories) and rank\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/28 21:54

S75	6	707/5 and (rank\$3 with categories) and rank\$3 and tabs	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/28 21:55
S76	1	10/926586 and (media or medium)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/29 08:10
S77	0	10/926586 and physical	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/29 08:11
S78	1	"20030058277" and (state)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/29 08:27
S79	1	"20030058277" and ((state) same (verf\$3 or check\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/29 08:30
S80	2	"20040064806"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/29 08:36
S81	1	"20040064806" and state	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/29 08:36
S82	1	S81 and ((state) same (verf\$3 or check\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/29 08:36

S83	311	707/6 and ((match\$3 or compar\$3) same resources)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/29 09:25
S84	11	707/6 and ((match\$3 or compar\$3) same resources) and (verif\$3 same state\$)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/29 09:25
S85	28077	((match\$3 or compar\$3) same resources)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/29 09:26
S86	41	S85 and (verifying with processes)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/29 09:26
S87	1	"20040064806" and (compar\$3 or match\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/29 09:33
S88	0	10/242344 and without	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/29 09:57
S89	1	10/242344	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/29 09:57
S90	1	10/242344	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/29 09:58

S91	2	"6516327".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/29 12:24
S92	1	10/242344	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/29 12:40
S93	95	(synchronization with databases).ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/29 12:41
S94	1	(synchronization with databases).ti. and (coverage near2 information).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/29 12:41
S95	7	"20050050024" or "6516327".pn. or "6330568".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/29 12:52
S96	83	(monitor\$3 same synchronizations)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/29 23:30
S97	12	(monitor\$3 same synchronizations) same stor\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/29 23:30
S98	856	707/204 and (stor\$3 same synchroniz\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/29 23:31

S99	59	707/204 and (monitor\$3 same (stor\$3 same synchroniz\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/29 23:31
S100	830	Bodnar.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/29 23:38
S101	11	Bodnar.in. and "707"/\$. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/29 23:39
S102	9	Bodnar.in. and "707"/\$. ccls. and synchroniz\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/29 23:48
S103	2	"6516327".pn. and updat \$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/30 13:49
S104	2	"6295591".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/30 20:35
S105	2	"6295541".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/30 20:36
S106	0	"20050050024" and (structured)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/01 18:40

S107	0	"20050050024" and (semi-structur\$)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/01 18:41
S108	2	"20050050024" and (documents)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/01 18:41
S109	2	"7395259".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/01 19:55
S110	0	"7395259".pn. and (preceive\$3 near2 relevance)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/01 19:59
S111	0	(preceive\$3 near2 relevance)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/01 19:59
S112	0	"7395259".pn. and (perceive\$3 near2 relevance)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/01 19:59
S113	1	"7395259".pn. and (relevance)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/01 19:59
S114	1	10/910055 and (perceived near2 relevance)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/01 20:02

S115	2	11/197141 and (memory or computer or media or medium)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/02 09:51
S116	1	11/197141 and processor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/02 09:57
S117	1	11/025289 and (processor \$1 or cpu)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/02 11:49
S118	1	11/025289 and (processor)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/02 11:49
S119	1	10/926586 and resource	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/02 15:18
S120	0	10/926586 and physical	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/02 16:05
S121	1	10/926586	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/02 16:06
S122	0	10/926586 and physical	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/02 16:06

S123	0	10/926586 and physical\$	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/02 16:06
S124	2	"6516327".pn. and updat \$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/02 17:24
S125	41334	707/102 or 707/103R or 707/100 or 705/1 or 707/101 or 707/200	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 11:24
S126	428	S125 and (creat\$3 same (business near2 model \$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 11:25
S127	49	S125 and (creat\$3 same (business near2 model \$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 11:25
S128	470	S125 and ((creat\$3 same ((business or semantic) near2 model\$1)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 11:26
S129	29	S125 and (((creat\$3 same ((business or semantic) near2 model\$1))) same metadata)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 11:27
S130	111	((((creat\$3 same ((business or semantic) near2 model\$1))) same metadata)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 11:27

S131	7	S130 and (deploy\$3 with application)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 11:28
S132	5	S130 and (deploy\$3 with application) and (convert \$3 or translat\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 11:29
S133	606	S125 and (deploy\$3 with application) and (convert \$3 or translat\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 11:29
S134	1170	(model\$1 same (fields or columns or table\$1)) and (deploy\$3 with application) and (convert \$3 or translat\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 11:30
S135	224	S134 and S125	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 11:31
S136	62	S135 and ((structure\$1 or schema\$1) same (empty or null))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 11:31
S137	44	S136 and ((chang\$3 or modif\$3 or updat\$3) with (attributes or properties or metadata))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 11:32
S138	4	S137 and ((regenerat\$3 or recreat\$3) with model \$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 11:33

S139	125	S125 and (((regenerat\$3 or recreat\$3) with model \$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 11:33
S140	8	S139 and (synchroniz\$3 with model)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 11:35
S141	26	S125 and (redeploy\$3 with application)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 11:35
S142	2	S125 and (((chang\$3 with (metadata or properties or attributes) with write\$) near6 definition))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 11:37
S143	8	(((chang\$3 with (metadata or properties or attributes) with write\$) near6 definition))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 11:37
S144	1	(((chang\$3 with (metadata or properties or attributes) with write\$) near6 definition)) and S126	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 11:38
S145	2	11/197141 and (semantic near2 model)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 11:39
S146	1	11/095047 and processor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 13:09

S147	1	11/095047 and (processor or memory)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 13:09
S148	1	11/059477 and (server)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 13:12
S149	32254	((creat\$3 or genrat\$3) same models)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 13:50
S150	89	S149 and ((convert\$3 or transl\$3) same (single near2 value))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 13:51
S151	89	S150 and (deployment samd models)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 13:51
S152	1	S150 and (deployment same models)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 13:51
S153	0	S149 and ((convert\$3 or transl\$3) same (single near2 value)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 13:51
S154	856	((creat\$3 or genrat\$3) same models).clm.	US-PGPUB	OR	OFF	2008/12/03 13:52
S155	3	S154 and ((convert\$3 or transl\$3) same (single near2 value))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 13:52

S156	165	((regenerat\$3 or creat\$3) with model\$1).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 13:52
S157	0	((((chang\$3 with (metadata or properties or attributes) with writes\$) near6 definition)).clm. and (regenerat\$3 with models).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 13:53
S158	1	((((chang\$3 with (metadata or properties or attributes) with writes\$) near6 definition)).clm. and (generat\$3 with models).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 13:53
S159	215	Cam with trung	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 14:07
S160	20	S159 and dictionary	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 14:08
S161	5	S159 and dictionary.clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 14:08
S162	64	S159 and IBM	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 14:09
S163	1	10/727258	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 14:41

S164	1	10/727258 and (medium or media or memory or computer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 14.41
S165	3078	(synchronization with (tables or databases))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 15.09
S166	33	S165 and (extension near2 table)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 15:09
S167	629	S165 and (xml)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 15:10
S168	33	S165 and (xml) and (user-configur\$)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 15:10
S169	0	S168 and (migration near2 status)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 15:11
S170	0	S168 and (migrat\$ near2 status)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 15:11
S171	0	S168 and (migrat\$ with status)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 15:11

S172	688	((convert\$3 or translat\$3) same relational same xml)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 15:11
S173	4	S172 and (extension near2 table)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 15:11
S174	3309	((relational near2 database) same ((xml) or (extension near3 table))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 15:12
S175	566	S174 and ((convert\$3 or translat\$3) same format same xml)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 15:13
S176	14	S175 and (migrat\$3 with table)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 15:13
S177	5	S176 and ((number with records) same (transfer\$3 or migrat\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 15:14
S178	21774	707/100 or 707/204 or 707/6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 15:15
S179	0	S178 and (synchronizz\$3 same (structures or schemas))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 15:16

S180	150	S178 and (synchroni\$3 same (structures or schemas))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 15:16
S181	189	S178 and (synchroni\$5 same (structures or schemas))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 15:16
S182	48	S178 and (synchroni\$5 same (structures or schemas)) and (extension)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 15:17
S183	1	S178 and (synchroni\$5 same (structures or schemas)) and (extension) and (synchroniz\$5 same intermediate)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 15:18
S184	4	S178 and (extension with tables) and (conversion) and xml and (relational near2 database)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 15:19
S185	2852	(conversion) and xml and (relational near2 database)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 15:19
S186	1377	(conversion) and xml and (relational near2 database) and (convert\$3 same format)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 15:19
S187	151	715/200	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 15:36

S188	0	S187 and ((convert\$3 same xml) same (extension\$3 near2 table))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 15:37
S189	36597	"715"/\$.cds.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 15:37
S190	0	S189 and ((convert\$3 same xml) same (extension\$3 near2 table))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 15:38
S191	0	((convert\$3 same xml) same (extension\$3 near2 table))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 15:39
S192	0	((convert\$3 same xml) same (extension\$3 near2 table))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 15:39
S193	5511	(extension near2 table)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 15:41
S194	0	(extension near2 table) same convert\$ same xml	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 15:41
S195	1	(exten\$3 near2 table) same convert\$ same xml	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 15:41

S196	58	715/222 or 715/203	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 15:53
S197	742	715/222 ccls. or 715/203. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 15:53
S198	10535	707/204 or 707/202 or 711/162	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 16:56
S199	1198	S198 and (restor\$3 same (objects or files))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 16:57
S200	204	S199 and (restor\$3 with (attribute\$1 or metadata or propert\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 16:58
S201	10	S200 and (without same restor\$3 same content)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 16:58
S202	3	S200 and (without with restor\$3 with content)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 16:58
S203	0	S200 and (without with restor\$3 with content). clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 16:59

S204	67	(directory near2 service) and (restor\$3 with (attribute or metadata or name))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 17:00
S205	0	S204 and (specification with identification with attribute)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 17:01
S206	19	S204 and (number with objects)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 17:01
S207	1	S204 and (number with objects) and (backup\$3 with format)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 17:01
S208	0	S204 and (without near2 traver\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 17:01
S209	0	S204 and (without same traver\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 17:01
S210	104	S198 and (without same traver\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 17:01
S211	45	S198 and (without same traver\$3) and (backup\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 17:02

S212	0	S211 and (directory near2 service near2 objects)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 17:02
S213	161	(directory near2 service near2 objects)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 17:02
S214	0	(directory near2 service near2 objects) and (without same traversing)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 17:02

12/ 4/ 2008 10:46:26 AM

C:\Documents and Settings\CTruong\My Documents\EAST\Workspaces\11243386.wsp